

Fig. 1




Fig. 2




Fig. 3






Fig. 4

Service ID	Service Name
S 1	Today's News
S 2	Useful Information
S 3	New Car Guide

Isp

Fig. 5




Fig. 6

$$Cb = C(S1, Bflg)$$




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11





Fig. 12



A table with three columns: Service ID, Service Name, and Public Key. An arrow labeled "lspc" points from the top right towards the Public Key column.

Service ID	Service Name	Public Key
S 1	Today's News	7uBJ8jbjUjBikj...
S 2	Useful Information	11Inn;pp1hbn0I...
S 3	New Car Guide	INopdok101p0p...

Fig. 13




Fig. 14




Fig. 15





Fig. 16



Service ID	Service Name	Browser Content Designator	
		Content ID	Content Version
S 1	Today's News	101	2. 10
S 2	Useful Information	204	3. 00
S 3	New Car Guide	312	1. 10

Fig. 17




Fig. 18




Fig. 19




Fig. 20

Service ID	Service Name
S 1	Today's News
S 2	Useful Information
S 3	New Car Guide

Isp's

Fig. 21

Content ID Range	Type	Service ID
0 ~ 99	Browser Content	-
100 ~ 199	Service Content	S 1
200 ~ 299	Service Content	S 2
300 ~ 399	Service Content	S 3

CSD

Fig. 22




Fig. 23




Fig. 24 Prior Art




Fig. 25 Prior Art




Fig. 26 Prior Art




Fig. 27 Prior Art




Fig. 28 Prior Art

Browser File Name	Service Name
B (S 1)	Today's News
B (S 2)	Useful Information
B (S 3)	New Car Guide

Fig. 29 Prior Art




Fig. 30 Prior Art

